

SECTION 1: Identification

1.1. Identification

Product form : Mixtures
 Trade name : Aqua Perm-X UL 30-30
 Synonyms : 100209041, EPA Reg. No.: 89459-76, Prentox Perm-X UL 30-30

1.2. Recommended use and restrictions on use

Recommended use : Pesticide.
 Restrictions on use : Keep out of reach of children, Avoid contact with eyes and clothing, Do NOT take internally, Use only outdoors or in a well-ventilated area, Certified Applicators or persons under their direct supervision and only for those uses covered by the Certified Applicator's certification.

1.3. Supplier

Central Garden & Pet Company
 1501 E. Woodfield Road, Suite 200W
 Schaumburg, IL 60173 - United States

1.4. Emergency telephone number

Emergency number : 1-800-248-7763
 1-800-424-9300 - CHEMTREC
 1-703-527-3887 - CHEMTREC - Outside North America - Collect Calls Accepted

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Serious eye damage/eye irritation Category 2A	Causes serious eye irritation
Skin sensitization, Category 1	May cause an allergic skin reaction
Aspiration hazard Category 1	May be fatal if swallowed and enters airways
Carcinogenicity Category 2	Suspected of causing cancer
Acute toxicity (oral) Category 4	Harmful if swallowed
Acute toxicity (inhalation) Category 4	Harmful if inhaled
Specific target organ toxicity (single exposure) Category 1	Causes damage to organs


2.2. GHS Label elements, including precautionary statements

GHS-US labeling

Hazard pictograms (GHS-US) :



GHS07



GHS08

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Harmful if swallowed or if inhaled
 May be fatal if swallowed and enters airways
 May cause an allergic skin reaction
 Causes serious eye irritation
 Suspected of causing cancer
 Causes damage to organs

Precautionary statements (GHS-US) :

- Obtain special instructions before use
- Do not handle until all safety precautions have been read and understood
- Do not breathe dust/fume/gas/mist/vapors/spray
- Avoid breathing dust/fume/gas/mist/vapors/spray
- Wash hands, forearms and face thoroughly after handling
- Do not eat, drink or smoke when using this product
- Use only outdoors or in a well-ventilated area
- Contaminated work clothing must not be allowed out of the workplace
- Wear protective gloves/protective clothing/eye protection/face protection
- If swallowed: Immediately call poison center or doctor

Aqua Perm-X UL 30-30

Safety Data Sheet

If on skin: Wash with plenty of water
If inhaled: Remove person to fresh air and keep comfortable for breathing
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
If exposed: Call a poison center/doctor
If exposed or concerned: Get medical advice/attention
Call poison center or doctor if you feel unwell
Rinse mouth
Do NOT induce vomiting
If skin irritation or rash occurs: Get medical advice/attention
If eye irritation persists: Get medical advice/attention
Wash contaminated clothing before reuse
Store locked up
Dispose of contents/container to in accordance with local/regional/national/international regulations

2.3. Other hazards which do not result in classification

Other hazards not contributing to the classification : This product is extremely toxic to fish and aquatic vertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%
Permethrin	(CAS-No.) 52645-53-1	30
Piperonyl butoxide	(CAS-No.) 51-03-6	30
Distillates (petroleum), hydrotreated light	(CAS-No.) 64742-47-8	14
Naphthalene	(CAS-No.) 91-20-3	0.1
Other ingredients	(CAS-No.) N/A	Balance

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures after inhalation : IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a poison center or a doctor if you feel unwell. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water. Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice and attention.

First-aid measures after ingestion : IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. Rinse mouth. Do NOT induce vomiting. Call a physician immediately. Do NOT induce vomiting unless directed to do so by medical personnel.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after inhalation : Harmful if inhaled. Permethrin effects the nervous system.

Symptoms/effects after skin contact : May cause an allergic skin reaction.

Symptoms/effects after eye contact : Irritation to eyes.

Symptoms/effects after ingestion : Risk of lung edema. Harmful if swallowed. Permethrin effects the nervous system.

4.3. Immediate medical attention and special treatment, if necessary

Contains petroleum distillate vomiting may cause aspiration pneumonia. Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

Unsuitable extinguishing media : Avoid heavy hose streams.

Aqua Perm-X UL 30-30

Safety Data Sheet

5.2. Specific hazards arising from the chemical

Reactivity : The product is non-reactive under normal conditions of use, storage and transport.

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Do not allow fire fighting water to escape into waterways or sewers.

Protection during firefighting : Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Ventilate spillage area. Do not breathe dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes.

6.1.2. For emergency responders

Protective equipment : Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

6.2. Environmental precautions

Do NOT wash away into sewer. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Absorb spills with an inert material, clay granules or other inert absorbent material and put in container for disposal.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe dust/fume/gas/mist/vapors/spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes.

Hygiene measures : Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store locked up. Store in a well-ventilated place. Keep cool. Keep only in original container. Keep container tightly closed.

Incompatible products : Oxidizing agent. Strong acids. Strong bases.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Naphthalene (91-20-3)		
ACGIH	ACGIH TWA (ppm)	10 ppm
OSHA	OSHA PEL (TWA) (mg/m ³)	50 mg/m ³
OSHA	OSHA PEL (TWA) (ppm)	10 ppm
IDLH	US IDLH (ppm)	250 ppm
NIOSH	NIOSH REL (TWA) (mg/m ³)	50 mg/m ³
NIOSH	NIOSH REL (TWA) (ppm)	10 ppm
NIOSH	NIOSH REL (STEL) (mg/m ³)	75 mg/m ³
NIOSH	NIOSH REL (STEL) (ppm)	15 ppm

8.2. Appropriate engineering controls

Appropriate engineering controls : Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Environmental exposure controls : Avoid release to the environment.

Aqua Perm-X UL 30-30

Safety Data Sheet

8.3. Individual protection measures/Personal protective equipment

Personal protective equipment:

See product label for specific use PPE instructions.

Materials for protective clothing:

It is recommended for handlers to wear appropriate clothing to prevent skin contact including long sleeves, long pants, socks and shoes.

Hand protection:

Wear chemical resistant gloves. Barrier laminate, nitrile rubber, neoprene rubber or Viton are recommended.

Eye protection:

Chemical goggles or face shield.

Respiratory protection:

In case of inadequate ventilation, avoid breathing vapors or mist, wear a NIOSH approved chemical cartridge respirator with organic vapor cartridges and a pesticide pre-filter.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear amber liquid.
Color	: amber
Odor	: Solvent.
Odor threshold	: No data available
pH	: 6.25 25 °C (1% aq solution)
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: > 231 °F (> 110.5556° C)
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Not applicable.
Vapor pressure	: No data available
Relative vapor density at 20 °C	: No data available
Relative density	: 1.01 g/mL 8.47 lb/gal
Solubility	: No data available
Log Pow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: Not explosive
Oxidizing properties	: Not applicable

9.2. Other information

No additional information available

Aqua Perm-X UL 30-30

Safety Data Sheet

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

Strong oxidizing agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Aqua Perm-X UL 30-30	
ATE (Oral)	1335 mg/kg
ATE (Dust/Mist)	3.46 mg/l/4h
pH	6.25 25 °C (1% aq solution)

Permethrin (52645-53-1)	
LD50 oral rat	500 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
LC50 inhalation rat (mg/l)	2.65 mg/l/4h

Piperonyl butoxide (51-03-6)	
LD50 oral rat	4300 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (mg/l)	> 5 mg/l/4h

Distillates (petroleum), hydrotreated light (64742-47-8)	
LD50 oral rat	> 5000 mg/kg
LD50 dermal rabbit	> 5000 mg/kg
LC50 inhalation rat (mg/l)	5 mg/l/4h

Naphthalene (91-20-3)	
LD50 oral rat	490 - 2600 mg/kg
LD50 dermal rabbit	> 2000
LD50 dermal	> 2000 mg/kg
IARC group	2B - Possibly Carcinogenic to Humans
National Toxicity Program (NTP) Status	Evidence of Carcinogenicity, Reasonably anticipated to be Human Carcinogen
In OSHA Hazard Communication Carcinogen list?	Yes

GHS-US Properties	Classification
Acute toxicity	Oral: Harmful if swallowed. Inhalation: Harmful if inhaled.
Skin corrosion/irritation	Not classified
Serious eye damage/irritation	Causes serious eye irritation.
Respiratory or skin sensitization	May cause an allergic skin reaction.
Germ cells mutagen	Not classified
Carcinogenicity	Suspected of causing cancer.
Reproductive toxicity	Not classified
Specific target organ toxicant (single exposure)	Causes damage to organs.
Specific target organ toxicant (repeated exposure)	Not classified
Aspiration hazard	May be fatal if swallowed and enters airways.

Aqua Perm-X UL 30-30

Safety Data Sheet

Potential health effects

Inhalation

Acute : Harmful if inhaled. Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.

Skin

Acute : May cause an allergic reaction in individuals with a sensitivity to piperonyl butoxide.

Eye

Acute : Causes serious eye irritation.

Ingestion

Acute : Aspiration hazard - small amounts of liquid aspirated into the lungs during ingestion or from vomiting may cause chemical pneumonitis or pulmonary edema, Harmful if swallowed, Permethrin affects nervous system. Symptoms of overexposure to permethrin include diarrhea, salivation, tremors, convulsions, hyperactivity and hypersensitivity.

Mutagenicity : Permethrin was not mutagenic or genotoxic in a battery of in vitro and in vivo tests, Piperonyl butoxide was not mutagenic in a battery of tests.

Carcinogenicity : Permethrin is not classified as carcinogen by NTP, IARC and OSHA, Piperonyl butoxide is not classified as carcinogen by NTP, IARC and OSHA, Naphthalene is listed as a suspected human carcinogen by NTP and IARC.

SECTION 12: Ecological information

12.1. Toxicity

Permethrin (52645-53-1)	
LC50 Acute fish 1	0.00079 mg/l Exposure time: 96h - Blue gill
LC50 Acute fish 2	0.0022 mg/l Exposure time: 96h - Atlantic silverside
LC50 Acute crustacea 1	0.000019 mg/l (Exposure time: 96h - Mysid shrimp)
NOEC Chronic fish 1	0.0003 mg/l Fathead minnow
NOEC Chronic fish 2	0.00083 mg/l Sheepshead minnow
NOEC Chronic crustacea 1	0.000039 mg/l Daphnia magna
NOEC Chronic crustacea 2	0.000011 mg/l Mysid shrimp
Piperonyl butoxide (51-03-6)	
LC50 Acute fish 1	1.9 mg/l (Exposure time: na - Rainbow trout)
LC50 Acute fish 2	3.94 mg/l (Exposure time: na - Sheepshead minnow)
LC50 Acute crustacea 1	0.49 mg/l (Exposure time: na - Mysid shrimp)
LC50 Acute crustacea 2	0.51 mg/l (Exposure time: na - Gammarus fasciatus (amphipod))
NOEC Chronic fish 1	0.04 mg/l (Fathead minnow)
NOEC Chronic crustacea 1	0.03 mg/l (Daphnia magna)
Naphthalene (91-20-3)	
LC50 Acute fish 1	5.74 - 6.44 mg/l (Exposure time: 96 h - Species: Pimephales promelas [flow-through])
LC50 Acute fish 2	1.6 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [flow-through])
LC50 Acute fish 3	0.91 - 2.82 mg/l (Exposure time: 96 h - Species: Oncorhynchus mykiss [static])
EC50 Daphnia 1	2.16 mg/l (Exposure time: 48 h - Species: Daphnia magna)
EC50 Daphnia 2	1.96 mg/l (Exposure time: 48 h - Species: Daphnia magna [Flow through])

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

Permethrin (52645-53-1)	
Log Pow	6.5
Piperonyl butoxide (51-03-6)	
Log Kow	4.75
Naphthalene (91-20-3)	
BCF fish 1	30 - 430
Log Pow	3.6
Log Kow	3.3

Aqua Perm-X UL 30-30

Safety Data Sheet

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Aqua Perm-X UL 30-30

Ecological Fate

This product is extremely toxic to aquatic organisms, including fish and invertebrates. This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds.

SECTION 13: Disposal considerations

13.1. Disposal methods

Product/Packaging disposal recommendations : Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

SECTION 14: Transport information

	UN number	Proper Shipping Name	Transport hazard class(es)	Packing group	Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	Not regulated
IMDG	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, liquid, n.o.s. (Permethrin)	9	III	Marine pollutant
IATA	UN3082	Packaging 5 L or greater: Environmentally Hazardous Substance, liquid, n.o.s. (Permethrin)	9	III	Acute aquatic toxicity

SECTION 15: Regulatory information

15.1. US Federal regulations

Permethrin (52645-53-1)

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1 %

Piperonyl butoxide (51-03-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

SARA Section 313 - Emission Reporting 1 %

Distillates (petroleum), hydrotreated light (64742-47-8)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Naphthalene (91-20-3)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Listed on SARA Section 313 (Specific toxic chemical listings)

CERCLA RQ 100 lb

SARA Section 313 - Emission Reporting 0.1 %

FIFRA Labelling

EPA Registration Number 89459-76

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals. The hazard information required on the pesticide label is reproduced below. The pesticide label also includes other important information, including directions for use.

FIFRA Signal Word **Caution**

FIFRA Hazard Statement **KEEP OUT OF REACH OF CHILDREN.**

FIFRA Hazards to Humans and Domestic Animals Harmful if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes, or clothing. Wear long sleeved shirt, long pants, shoes, socks, and chemical-resistant gloves (barrier laminate, nitrile rubber, neoprene rubber, or viton, Selection Category E). Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals.

Aqua Perm-X UL 30-30

Safety Data Sheet

FIFRA First Aid	IF SWALLOWED: Immediately call a poison control center or doctor. • Do not induce vomiting unless told to by a poison control center or doctor. • Do not give any liquid to the person. • Do not give anything by mouth to an unconscious person. IF ON SKIN OR CLOTHING: Take off contaminated clothing. • Rinse skin immediately with plenty of water for 15-20 minutes. • Call a poison control center or doctor for treatment advice. NOTE TO PHYSICIAN: Contains petroleum distillate. May pose an aspiration pneumonia hazard.
FIFRA Environmental Hazards	This pesticide is extremely toxic to fish and aquatic invertebrates. Runoff from treated areas or deposition of spray droplets into a body of water may be hazardous to fish and aquatic invertebrates. Do not apply over bodies of water (lakes, rivers, permanent streams, natural ponds, commercial fish ponds, swamps, marshes, estuaries), except when necessary to target areas where adult mosquitoes are present, and weather conditions will facilitate movement of applied material away from the water in order to minimize incidental deposition into the water body. Do not contaminate bodies of water when disposing of equipment rinsate or washwaters. Bee Warning: This product is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift on blooming crops or weeds while bees are actively visiting the treatment areas, except when applications are made to prevent or control a threat to public and/or animal health determined by a state, tribal or local health or vector control agency on the basis of documented evidence of disease causing agents in vector mosquitoes or the occurrence of mosquito-borne disease in animal or human populations, or if specifically approved by the state or tribe during a natural disaster recovery effort.

15.2. US State regulations

Naphthalene (91-20-3)				
U.S. - California - Proposition 65 - Carcinogens List	U.S. - California - Proposition 65 - Developmental Toxicity	U.S. - California - Proposition 65 - Reproductive Toxicity - Female	U.S. - California - Proposition 65 - Reproductive Toxicity - Male	No significant risk level (NSRL)
Yes	No	No	No	5.8 µg/day

SECTION 16: Other information

Date of issue : 03 May 2017
Supersedes : 24 April 2015

SDS US (GHS HazCom 2012) - CGP

The information and statements herein are believed to be reliable but are not to be construed as a warranty or representation for which we assume legal responsibility. Users should undertake sufficient verification and testing to determine the suitability for their own particular purpose of any information or products referred to herein. NO WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE IS MADE.